


Screenshots of warehouse "Deliver to" information As of June 12, 2003

These screens show how the "Recipient" and "Unloading point" information is updated in the purchase request, how the input information flows to the purchase order and ends up displayed in the MIGO transaction and prints on the goods receipt slip.

This screen shows the location of the two fields "Recipient" and "Unloading point". The SAP definition "Recipient" specifies the recipient for whom the material or the service is destined; the "Unloading Point" specifies the point at which the material is to be unloaded (for example, ramp 1). Once the supplies are received into the warehouse, these fields can be used to "Deliver To" and the "Delivery Point" for delivery by the warehouse within NASA.








Screenshots of warehouse "Deliver to" information As of June 12, 2003

This screen shot shows the "Unloading Point" and "Recipient" fields filled out in a Purchase Order. These fields are carried over from the Purchase Request into the Purchase Order. These fields **do not** print on the Purchase Order.








Screenshots of warehouse "Deliver to" information As of June 12, 2003

This screen shot displays how the "Goods Recipient" and "Unloading point" has been carried over from the Purchase Order into the Goods Receipt transaction (MIGO) in the "Where" tab.







Screenshots of warehouse "Deliver to" information As of June 12, 2003

This screen shot displays a portion of the Goods Receipt Slip that can be printed when using the MIGO transaction. Notice that the "Recipient" (To Deliver T) information prints on this slip but the "Unloading point" does not. We request that the "Unloading point" also to print out.

